SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: POOL TAK SPRAY ADHESIVE-BLUE TINT

Other means of identification SDS number: RE1000044063

Recommended restrictions Recommended use: Adhesive Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

| Company Name: | WARM WATER SALES GROUP |
|---------------|---------------------------|
| Address: | 2400 KNOLLWOOD DRIVE |
| | LONGMEADOW, MA 01106-2714 |
| | US |
| Telephone: | 413-567-0750 |

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

| Physical Hazards | |
|---|----------------------------------|
| Flammable aerosol Health Hazards | Category 1 |
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2A |
| Toxic to reproduction | Category 2 |
| Specific Target Organ Toxicity - Single Exposure | Category 3 (Narcotic effect.) |
| Specific Target Organ Toxicity - Repeated Exposure | Category 2 |
| Aspiration Hazard | Category 1 |
| Environmental Hazards | |
| Acute hazards to the aquatic environment | Category 3 |
| Chronic hazards to the aquatic | Category 3 |

Label Elements

Hazard Symbol:

environment



Signal Word:

Danger

| Hazard Statement: | Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects. |
|--|---|
| Precautionary Statements | |
| Prevention: | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment. |
| Response: | IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing. |
| Storage: | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. |
| Disposal: | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Hazard(s) not otherwise classified (HNOC): | None. |

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-----------------------|------------|-------------------------|
| 2-Propanone | 67-64-1 | 20 - <50% |
| Propane | 74-98-6 | 10 - <20% |
| Hexane | 110-54-3 | 10 - <20% |
| Methane, 1,1'-oxybis- | 115-10-6 | 7 - 13% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

Inhalation:

Move to fresh air.

| | Revision Date: 09/25/2020 |
|---|---|
| Skin Contact: | Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention. |
| Eye contact: | Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention. |
| Ingestion: | Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| Personal Protection for First- aid Responders: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| Most important symptoms/effect | cts, acute and delayed |
| Symptoms: | No data available. |
| Hazards: | No data available. |
| Indication of immediate medica | l attention and special treatment needed |
| Treatment: | Get medical attention if symptoms occur. |
| 5. Fire-fighting measures | |
| General Fire Hazards: | Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk. |
| Suitable (and unsuitable) exting | guishing media |
| Suitable extinguishing media: | Use fire-extinguishing media appropriate for surrounding materials. |
| Unsuitable extinguishing media: | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical: | Vapors may travel considerable distance to a source of ignition and flash back. |
| Special protective equipment a | nd precautions for firefighters |
| Special fire fighting procedures: | No data available. |
| Special protective equipment for fire-fighters: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| 6. Accidental release measure | es |
| Personal precautions, | Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking flares, sparks or flames in immediate area). Keen |

| Accidental release measures: | Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk. |
|---|--|
| Methods and material for containment and cleaning up: | Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. |
| Environmental Precautions: | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. |
| 7. Handling and storage | |

Handling

| Technical measures (e.g. Local and general ventilation): | No data available. |
|--|---|
| Safe handling advice: | Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin. |
| Contact avoidance measures: | No data available. |
| Storage | |
| Safe storage conditions: | Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.Aerosol Level 3 |
| Safe packaging materials: | No data available. |
| Storage Temperature: | No data available. |

8. Exposure controls/personal protection

Control Parameters Occupational Exposure Limits

| Chemical Identity | Туре | Exposure L | imit Values | Source |
|-------------------|------|------------|-------------|--|
| 2-Propanone | STEL | 1,000 ppm | 2,400 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | PEL | 1,000 ppm | 2,400 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | TWA | 250 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | TWA | 750 ppm | 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | STEL | 500 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | REL | 250 ppm | 590 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| Propane | REL | 1,000 ppm | 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | PEL | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | TWA | 1,000 ppm | 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| Hexane | TWA | 50 ppm | 180 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | PEL | 500 ppm | 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | REL | 50 ppm | 180 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |

Version: 0.0 Revision Date: 09/25/2020

| | TWA | 50 ppm | | US. ACGIH Threshold Limit Values, as amended |
|--|-----------|---------|-------------|---|
| Cyclohexane | TWA | 100 ppm | | US. ACGIH Threshold Limit Values, as amended |
| · | TWA | 300 ppm | 1,050 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | REL | 300 ppm | 1,050 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | PEL | 300 ppm | 1,050 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| Heptane | TWA | 400 ppm | 1,600 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | REL | 85 ppm | 350 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | PEL | 500 ppm | 2,000 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | STEL | 500 ppm | 2,000 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | TWA | 400 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | STEL | 500 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | Ceil_Time | 440 ppm | 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| Benzene, dimethyl- | TWA | 100 ppm | 435 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | TWA | 100 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | PEL | 100 ppm | 435 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | STEL | 150 ppm | 655 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | STEL | 150 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | STEL | 150 ppm | 655 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | REL | 100 ppm | 435 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| Benzene, ethyl- | STEL | 125 ppm | 545 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | REL | 100 ppm | 435 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | PEL | 100 ppm | 435 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | STEL | 125 ppm | 545 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | TWA | 100 ppm | 435 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | TWA | 20 ppm | | US. ACGIH Threshold Limit Values, as amended |
| Acetic acid ethenyl ester | TWA | 10 ppm | 30 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | Ceil_Time | 4 ppm | 15 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | STEL | 20 ppm | 60 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | STEL | 15 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | TWA | 10 ppm | | US. ACGIH Threshold Limit Values, as amended |
| Propanol, 1(or 2)-(2- methoxymethylethoxy)- | STEL | 150 ppm | 900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | TWA | 100 ppm | 600 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | STEL | 150 ppm | 900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | STEL | 150 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | REL | 100 ppm | 600 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | PEL | 100 ppm | 600 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | TWA | 100 ppm | | US. ACGIH Threshold Limit Values, as amended |
| Benzene, methyl- | STEL | 150 ppm | 560 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | REL | 100 ppm | 375 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | TWA | 100 ppm | 375 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | Ceiling | 300 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000), as amended |
| | TWA | 20 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | TWA | 200 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000), as amended |
| | MAX. CONC | 500 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000), as amended |

| | STEL | 150 ppm | 560 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
|-------------|-----------|---------|------------|---|
| 2 | | 0.1 | | |
| Benzene | REL | 0.1 ppm | | US. NIOSH: Pocket Guide to Chemical Hazards, as |
| | | | | |
| | TWA | 1 ppm | | US. OSHA Table Z-1-A (29 CFR 1910.1000), as |
| | | | | amended |
| | Ceiling | 25 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000), as |
| | | | | amended |
| | TWA | 0.5 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | STEL | 2.5 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | STEL | 5 ppm | | US. OSHA Specifically Regulated Substances (29 |
| | | | | CFR 1910.1001-1053), as amended |
| | OSHA_ACT | 0.5 ppm | | US. OSHA Specifically Regulated Substances (29 |
| | | | | CFR 1910.1001-1053), as amended |
| | TWA | 10 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000), as |
| | | | | amended |
| | MAX. CONC | 50 ppm | | US. OSHA Table Z-2 (29 CFR 1910.1000), as |
| | | | | amended |
| | STEL | 5 ppm | | US. OSHA Table Z-1-A (29 CFR 1910.1000), as |
| | | | | amended |
| | TWA | 1 ppm | | US. OSHA Specifically Regulated Substances (29 |
| | | | | CFR 1910.1001-1053), as amended |
| | STEL | 1 ppm | | US. NIOSH: Pocket Guide to Chemical Hazards, as |
| | | | | amended |
| Naphthalene | STEL | 15 ppm | 75 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as |
| 1 | | | - J | amended |
| | REL | 10 ppm | 50 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as |
| | | | J | amended |
| | PEL | 10 ppm | 50 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants |
| | | , o pp | ee mg/me | (29 CFR 1910.1000), as amended |
| | TWA | 10 ppm | 50 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as |
| | | | | amended |
| | TWA | 10 ppm | | US. ACGIH Threshold Limit Values, as amended |
| | STEL | 15 ppm | 75 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as |
| | | | | |

Biological Limit Values

| Chemical Identity | Exposure Limit Values | Source |
|---|--------------------------------|-----------|
| 2-Propanone (acetone: Sampling time: End of shift.) | 25 mg/l (Urine) | ACGIH BEL |
| Hexane (2,5-Hexanedion, without hydrolysis: Sampling time: End of shift.) | 0.5 mg/l (Urine) | ACGIH BEL |
| Benzene, dimethyl- (Methylhippuric acids: Sampling time: End of shift.) | 1.5 g/g (Creatinine in urine) | ACGIH BEL |
| Benzene, ethyl- (Sum of mandelic acid and phenylglyoxylic acid: Sampling time: End of shift.) | 0.15 g/g (Creatinine in urine) | ACGIH BEL |
| Benzene, methyl- (toluene: Sampling time: End of shift.) | 0.03 mg/l (Urine) | ACGIH BEL |
| Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.) | 0.3 mg/g (Creatinine in urine) | ACGIH BEL |
| Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.) | 0.02 mg/l (Blood) | ACGIH BEL |
| Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.) | 25 μg/g (Creatinine in urine) | ACGIH BEL |
| Benzene (t,t-Muconic acid: Sampling time: End of shift.) | 500 µg/g (Creatinine in urine) | ACGIH BEL |

Exposure guidelines

| Hexane | US. ACGIH Threshold Limit Values, as | Can be absorbed through |
|-----------------------|--------------------------------------|-------------------------|
| | amended | the skin. |
| Propanol, 1(or 2)-(2- | US. ACGIH Threshold Limit Values, as | Can be absorbed through |
| methoxymethylethoxy)- | amended | the skin. |
| Benzene | US. ACGIH Threshold Limit Values, as | Can be absorbed through |
| | amended | the skin. |
| Naphthalene | US. ACGIH Threshold Limit Values, as | Can be absorbed through |
| | amended | the skin. |

Appropriate Engineering No data available. Controls

Individual protection measures, such as personal protective equipment

| Eye/face protection: | Wear safety glasses with side shields (or goggles). |
|----------------------|---|
| | |

Skin Protection Hand Protection:

No data available.

Revision Date: 09/25/2020Skin and Body Protection:Wear chemical-resistant gloves, footwear, and protective clothing
appropriate for the risk of exposure. Contact health and safety professional
or manufacturer for specific information.Respiratory Protection:In case of inadequate ventilation use suitable respirator. Seek advice from
local supervisor.Hygiene measures:Avoid contact with eyes. Observe good industrial hygiene practices. When
using do not smoke. Do not handle until all safety precautions have been
read and understood. Obtain special instructions before use. Wash
contaminated clothing before reuse. Avoid contact with skin. Wash hands
before breaks and immediately after handling the product.

Version: 0.0

9. Physical and chemical properties

| Appearance | |
|--|---------------------------|
| Physical state: | liquid |
| Form: | Spray Aerosol |
| Color: | No data available. |
| Odor: | No data available. |
| Odor Threshold: | No data available. |
| pH: | No data available. |
| Freezing point: | No data available. |
| Boiling Point: | No data available. |
| Flash Point: | Estimated -104.4 °C |
| Evaporation Rate: | No data available. |
| Flammability (solid, gas): | No data available. |
| Explosive limit - upper (%): | Estimated 9.5 %(V) |
| Explosive limit - lower (%): | Estimated 2.2 %(V) |
| Vapor pressure: | 3,102 - 5,171 hPa (20 °C) |
| Vapor density (air=1): | No data available. |
| Density: | No data available. |
| Relative density: | No data available. |
| Solubility in Water: | No data available. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Self Ignition Temperature: | No data available. |
| Decomposition Temperature: | No data available. |
| Kinematic viscosity: | No data available. |
| Dynamic viscosity: | No data available. |
| Explosive properties: | No data available. |
| Oxidizing properties: | No data available. |
| | |

10. Stability and reactivity

| Reactivity: | No data available. |
|--|---|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |

| Hazardous Decomposition | No data available. |
|-------------------------|--------------------|
| Products: | |

11. Toxicological information

Information on likely routes of exposure

| Inhalation: | No data available. |
|---------------|--------------------|
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Symptoms related to the physical, chemical and toxicological characteristics

| Inhalation: | No data available. |
|---------------|--------------------|
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

| Oral Product: | ATEmix: 5,752.59 mg/kg |
|---------------------------------------|--|
| Dermal Product: | ATEmix: 5,750.92 mg/kg |
| Inhalation Product: | Not classified for acute toxicity based on available data. |
| Repeated dose toxicity Product: | No data available. |
| Components: 2-Propanone | NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study |
| Propane | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation |
| Hexane | Experimental result, Key study NOAEL (Mouse(Male), Inhalation, 13 Weeks): 500 ppm(m) Inhalation Experimental result, Key study LOAEL (Mouse(Male), Inhalation, 13 Weeks): 1,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Male), Inhalation, 16 Weeks): 3,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Mouse(Female), Inhalation, 13 Weeks): 500 ppm(m) Inhalation |
| Methane, 1,1'-oxybis- | Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, 2 yr): 2.5 %(m) Inhalation Experimental result, Key study |
| Skin Corrosion/Irritation Product: | No data available. |

| Components: 2-Propanone Hexane | in vivo (Rabbit): Not irritant Review Irritating. | |
|--|--|--|
| Serious Eye Damage/Eye Irritat Product: | ion No data available. | |
| Components: 2-Propanone | Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant | |
| Hexane | Rabbit, 1 - 72 hrs: Not irritating | |
| Respiratory or Skin Sensitizatio Product: | n No data available. | |
| Components: 2-Propanone | Skin sensitization:, in vivo (Guinea pig): Non sensitising | |
| Carcinogenicity Product: | No data available. | |
| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified | | |
| US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified | | |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended: No carcinogenic components identified | | |
| Germ Cell Mutagenicity | | |
| In vitro Product: | No data available. | |
| In vivo Product: | No data available. | |
| Reproductive toxicity Product: | No data available. | |
| Components: Hexane | Suspected of damaging fertility or the unborn child. | |
| Specific Target Organ Toxicity Product: Components: | - Single Exposure No data available. | |
| 2-Propanone Hexane | Inhalation - vapor: Narcotic effect Category 3 with narcotic effects. Inhalation - vapor: Narcotic effect Category 3 with narcotic effects. | |
| Specific Target Organ Toxicity - Repeated Exposure Product: No data available. | | |
| Components: Hexane | Inhalation - vapor: Nervous System - Category 2 | |
| Target Organs Specific Target Organ Toxicity - Single Exposure: Narcotic effect. | | |
| Aspiration Hazard Product: | No data available. | |
| | | |

Components: Hexane

May be fatal if swallowed and enters airways.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

| Fish Product: | No data available. | |
|---|--|--|
| Components: 2-Propanone | LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study | |
| Propane | LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study | |
| Hexane | LC 50 (Fathead minnow (Pimephales promelas), 96 h): 2.101 - 2.981 mg/l Mortality | |
| Methane, 1,1'-oxybis- | LC 50 (Various, 96 h): 1,783.04 mg/l QSAR QSAR, Supporting study | |
| Aquatic Invertebrates Product: | No data available. | |
| Components: 2-Propanone | LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study | |
| Hexane | EC 50 (Daphnia magna, 48 h): 21.85 mg/l QSAR QSAR, Key study LC 50 (Water flea (Daphnia magna), 24 h): > 50 mg/l Mortality | |
| Chronic hazards to the aquatic environment: | | |
| Fish Product: | No data available. | |
| Components: Hexane | NOAEL (Oncorhynchus mykiss): 2.8 mg/I QSAR QSAR, Key study | |
| Aquatic Invertebrates Product: | No data available. | |
| Components: 2-Propanone | LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study | |
| Hexane | NOAEL (Daphnia magna): 4.888 mg/l QSAR QSAR, Key study | |
| Toxicity to Aquatic Plants Product: | No data available. | |
| Persistence and Degradability | | |
| Biodegradation Product: | No data available. | |

90.9 % (28 d) Detected in water. Experimental result, Key study

Components: 2-Propanone

Version: 0.0 Revision Date: 09/25/2020

| | Noticitien Batel 00/20/2020 |
|---|--|
| Propane | 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study |
| Hexane | 81 % Detected in water. Read-across based on grouping of substances (category approach), Key study |
| Methane, 1,1'-oxybis- | 5 % (28 d) Detected in water. Experimental result, Key study |
| BOD/COD Ratio Product: | No data available. |
| Bioaccumulative potential | |
| Bioconcentration Factor (Be Product: | CF) No data available. |
| Components: 2-Propanone | Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified |
| Hexane | Pimephales promelas, Bioconcentration Factor (BCF): 501.19 Aquatic sediment QSAR, Key study |
| Partition Coefficient n-octanol / v Product: | water (log Kow) No data available. |
| Mobility in soil: | No data available. |
| Components: 2-Propanone Propane Hexane Methane, 1,1'-oxybis- Other adverse effects: | No data available. No data available. No data available. No data available. Harmful to aquatic life with long lasting effects. |
| 13. Disposal considerations | |
| Disposal instructions: | Discharge, treatment, or disposal may be subject to national, state, or local laws. |
| Contaminated Packaging: | No data available. |
| 14. Transport information | |
| DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group: Special precautions for user: | UN 1950 Aerosols, flammable 2.1 – - Not regulated. |

| ΙΑΤΑ | |
|--|---------------------|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es): | |
| Class: | 2.1 |
| Label(s): | - |
| Packing Group: | - |
| Special precautions for user: Other information | Not regulated. |
| Passenger and cargo aircraft: | Allowed. 203 |
| Cargo aircraft only: | Allowed. 203 |
| IMDG | |
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es) | , |
| Ċlass: | 2 |
| Label(s): | _ |
| EmS No.: | |
| Packing Group: | - |
| Special precautions for user: | Not regulated. |

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

Chemical Identity Benzene

OSHA hazard(s)

Flammability Cancer Aspiration Eye Blood Skin respiratory tract irritation Central nervous system

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity 2-Propanone ACETONE HEXANE Hexane UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY RCRA HAZARDOUS WASTE NO. D001 CYCLOHEXANE BENZENE,HEXAHYDRO-XYLENE (MIXED) ETHYLBENZENE VINYL ACETATE BENZENE, METHYL-BENZENE NAPHTHALENE

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Skin Corrosion or Irritation, Serious eye damage or eye irritation, Reproductive toxicity, Specific target organ toxicity (single or repeated exposure), Aspiration Hazard

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

<u>Chemical Identity</u> Acetic acid ethenyl ester

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

| Chemical Identity | <u>% by weight</u> |
|-------------------|--------------------|
| Hexane | 1.0% |

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65



WARNING: This product can expose you to chemicals including, Benzene which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u> 2-Propanone Propane

Hexane Methane, 1,1'-oxybis-Cyclopentane, methyl-

US. Massachusetts RTK - Substance List

<u>Chemical Identity</u> Acetic acid ethenyl ester

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity 2-Propanone Propane Hexane Methane, 1,1'-oxybis-Cyclopentane, methyl-

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

2-Propanone Hexane

Stockholm convention 2-Propanone

Hexane

Rotterdam convention 2-Propanone Hexane

Kyoto protocol

| Inventory Status: Australia AICS | Not in compliance with the inventory. |
|---|--|
| Canada DSL Inventory List | On or in compliance with the inventory |
| Canada NDSL Inventory | Not in compliance with the inventory. |
| Ontario Inventory | Not in compliance with the inventory. |
| China Inv. Existing Chemical Substances | On or in compliance with the inventory |
| Japan (ENCS) List | Not in compliance with the inventory. |
| Japan ISHL Listing | Not in compliance with the inventory. |
| Japan Pharmacopoeia Listing | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI) | On or in compliance with the inventory |
| Mexico INSQ | Not in compliance with the inventory. |
| New Zealand Inventory of Chemicals | Not in compliance with the inventory. |
| Philippines PICCS | Not in compliance with the inventory. |
| Taiwan Chemical Substance Inventory | Not in compliance with the inventory. |
| US TSCA Inventory | On or in compliance with the inventory |
| EINECS, ELINCS or NLP | Not in compliance with the inventory. |
| | |

16.Other information, including date of preparation or last revision

| Issue Date: | 09/25/2020 |
|-----------------------|---|
| Revision Information: | No data available. |
| Version #: | 1.0 |
| Further Information: | No data available. |
| Disclaimer: | This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. |